

LPRC



Features

PIR Spy Camera

SONY/SHARP Color CCD

Back Light Compensation(BLC)

Auto White Balance(AWB)

Lens:3.7mm Taper Pinhole Lens(Optional)

Dimension : 66(W) x 105(H) x 60(D)mm



Specifications

Model	LPRCS	LPRCSF	LPRCH	LPRCHF
Image Sensor	1/3"SONY	1/4"SONY	1/3"SHARP	1/4"SHARP
Horizontal Resolution	420 TV Line			
Pixels	PAL:500(H)×582(V) NTSC:510(H)×492(V)			
TV System	PAL/NTSC			
Lens	3.7mm Taper Pinhole Lens(Optional)			
Sync System	Internal			
Usable Illumination	0.8Lux/F2.0		1Lux/F2.0	
S/N Ratio	≥48dB (AGC OFF)			
Gamma Correction	0.45			
Video Out	Composite Signal (1.0Vp-p, 75Ω)			
Scanning System	PAL:625 Lines, 50 Field/Sec;NTSC:525 Lines, 60 Field/Sec			
Electronic Shutter Time	Auto:PAL 1/50-1/100,000Sec;NTSC 1/60-1/100,000Sec			
Operation Temperature	-10℃ ~ +50℃ RH95% Max			
Storage Temperature	-20℃ ~ +60℃ RH95% Max			
White Balance	Auto			
Power Source	DC12V 150mA			
Dimension	66(W) x 105(H) x 60(D)mm			
Weight	200g			